

EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S758	233418	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S759	353329	((topolog\$3 configuration\$1 link\$1state (link adj state\$1)) near3 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S760	2910	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S761	2604	((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S762	272774	((topolog\$3 configuration\$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S763	17025	((topolog\$3) near2 (information\$1 configuration\$1 data discover\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S764	2514	((topolog\$3 configuration\$1 link\$1state (link adj state\$1)) near2 (information\$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S765	18	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1)) with along	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S766	1665	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S767	2420	select\$3 with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S768	2475	(choos\$3 select\$3) with (node\$1 ne element\$1 router\$1 switch\$2) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S769	2093	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S770	97	(topolog\$3 same (spanning adj2 tree\$1)) and ((collected gathered determined analyzed tested) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S771	396	(next adj2 (node\$1 ne element\$1 router\$1 switch\$2)) with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S772	2	"7024483".pn. and (next near2 node\$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S773	43	S766 and S767	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S774	151	S760 and S763	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S775	2093	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S776	6081	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S777	4176	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S778	1665	quer\$4 with ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S779	117	(S777 S778) and S776	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S780	3138	((select\$3 choos\$3) with (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S781	4180	quer\$4 with ((establish \$3 exist\$3 identif\$5) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S782	60	S780 and S781	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S783	3489	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near4 (information \$1 configuration\$1 data)) same ((established existing identified) near3 (path \$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S784	165	S780 and S783	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S785	1151	370/248.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S786	7522	370/252.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S787	5324	370/342.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S788	1155	370/345.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S789	492	370/395.3.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S790	589	370/395.31.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S791	5049	709/220.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S792	2302	709/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S793	1587	709/222.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S794	12642	709/224.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S795	5147	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S796	3931	709/228.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S797	5771	709/229.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S798	947	370/217.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S799	653	370/218.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S800	446	370/221.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S801	5147	709/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S802	806	370/225.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S803	3496	370/230.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S804	1053	370/231.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S805	4433	370/235.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S806	1296	370/236.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S807	154	370/236.2.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S808	229	370/241.1.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S809	1693	370/242.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S810	682	370/244.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S811	397	370/245.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S812	56729	S785 S786 S787 S788 S789 S790 S791 S792 S793 S794 S795 S796 S797 S798 S799 S800 S801 S802 S803 S804 S805 S806 S807 S808 S809 S810 S811	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S813	9664	((establish\$4 exist\$4 confirm\$4 identif\$6 provid\$3 settl\$2 validat \$3) near3 (path\$1 link \$1 connection\$1 rout \$4)) with (map\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S814	443100	((topolog\$3 configuration \$1 link\$1state (link\$1 adj state\$1)) near4 (information\$1 configuration\$1 data)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S815	2680	S813 and S814	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S816	336	S812 and S815	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S817	2093	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collected gathered determined analyzed tested) with ((network \$3 topolog\$3) near2 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S818	9602	((select\$3 choos\$3) near3 (node\$1 ne element\$1 router\$1 switch\$3)) and ((collect \$3 gather\$3 determin \$3 analyz\$3 test\$3) with ((network\$3 topolog\$3) near4 (information\$1 configuration\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S819	5825	((topolog\$3 configuration\$1 link \$1state (link adj state \$1)) near2 (information \$1 configuration\$1 data)) same ((establish \$3 exist\$3 identif\$6) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S820	1092	S812 and S819	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S821	165	S820 and S818	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S822	472	S812 and S817	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S823	18	("6157955" "6205488" "6332163" "6539483" "6606660" "6631416" "6671724" "6678827" "6701358" "6732176" "6751729" "7028183" "7136374").PN. OR ("7373660").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S824	39	("5276789" "5394522" "5671355" "5684967" "5687315" "5715432" "5751962" "5754831" "5793958" "5793974" "5809265" "5809282" "5812779" "5821937" "5831610" "5831618" "5838907" "5889520" "5907696" "5910803" "5933601" "5958012" "5966128" "5974127" "6009466" "6018769" "6020889" "6058260" "6058262" "6108309" "6363334" "6477572" "6643837" "6651062" "RE36444").PN. OR ("6996510").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S825	12	("20020042274" "20020073338" "20020141346" "20030140165" "20030172180" "5453978" "6047331" "6631421" "6678241" "6765880").PN. OR ("6992988").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S826	4176	quer\$4 with ((establish \$3 exist\$3 identif\$4) near3 (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S827	408	S812 and S826	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S828	8309	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S829	4073	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with quer\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S830	85	S828 and S829	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S831	25491	((path\$1 link\$1 connection\$1) with topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S832	212	S831 and S829	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S833	5501	((select\$3 choos\$3) near3 (node\$1 element \$1 ne\$1 router\$1 switch \$3)) with (quer\$4 ask \$3 inquire\$4 enquire\$4 request\$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S834	106	S828 and S833	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S835	251	S831 and S833	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S836	35	(("20020042693" "20030204509" "20030204623" "20030204786" "5666486" "6108699" "6167490" "6192401" "6477172" "6567808" "6718394" "6748429" "6801937" "6847993").PN. OR ("7024483").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S837	47	(("5049873" "5063523" "5123098" "5136690" "5185860" "5276789" "5414812" "5453980" "5455952" "5463628" "5473608" "5488715" "5491796" "5509123" "5539886" "5561769" "5568605" "5651006" "5655081" "5689645" "5706508" "5758083" "5774669" "5848243" "5910803" "5926463" "5960439" "6018344" "6208977" "6225999" "6253240" "6256295" "6314093" "6370119" "6377987" "6396810" "6411946" "6456306" "6574663" "6639900" "6775243" "6842425").PN. OR ("7003559").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S838	7250	(receiv\$3 near2 request) and (quer\$5 with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S839	11444	{(receiv\$3 near2 request) and ((quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (information configuration)) and (receiv\$3 with (information configuration)) and (compar\$4 with (information configuration))}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S840	3527	{((rout\$3 switch\$4) near3 (information configuration)) and S839	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S841	333	S812 and S840	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S842	119154	{(compar\$5 determin\$6 match\$3) with (configuration\$1 information\$1) with (identifier\$1 id\$1 address\$3)}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S843	25139	{(quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1))}	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S844	534	S842 same S843	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S845	4565	S842 and S843	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S846	533	S812 and S845	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S847	999	S844 S846	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S848	6	("5185860" "5276789" "5905711" "5926463" "5926463" "6327677" "6684237").PNL	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S849	21	("20020091857" "20020196802" "4864559" "5361256" "5675741" "5828665" "5917820" "5926463" "6078590" "6101180" "6331983" "6374303" "6415312" "6502140" "6563830" "6567929" "6597703" "6785240" "6839348" "7170885" "7181526").PNL	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S850	23458	((request\$4 with connection\$1 path\$1 link\$1)) with signal\$1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S851	8309	((path\$1 link\$1 connection\$1) near2 topolog\$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S852	296	S850 and S851	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S853	36	(US-20050050225-\$ or US-20030033427-\$ or US-20010017843-\$ or US-20040233859-\$ or US-20050111366-\$ or US-20030097468-\$ or US-20040120270-\$ or US-20030043820-\$ or US-20030236870-\$). did. or (US-7068667-\$ or US-7003559-\$ or US-6286038-\$ or US-6778524-\$ or US-7373660-\$ or US-6246669-\$ or US-6836463-\$ or US-6915340-\$ or US-6996510-\$ or US-6614765-\$ or US-	US-PGPUB; USPAT	OR	OFF	2011/01/06 07:18

		7263552-\$ or US- 5606669-\$ or US- 6339587-\$ or US- 6584502-\$ or US- 5942989-\$ or US- 5881048-\$ or US- 7050404-\$ or US- 7024483-\$ or US- 5870558-\$ or US- 6539427-\$ or US- 6137782-\$ or US- 6992988-\$ or US- 4825206-\$ or US- 5185860-\$ or US- 5408618-\$ or US- 5946379-\$).did. or (US- 6898183-\$).did.				
S854	2	((HO-KEUNG) near2 (LEE)).INV.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S855	13080	lucent.as.	US-PGPUB; USPAT; USOCR	OR	OFF	2011/01/06 07:18
S856	24143	((established existing confirmed identified provided settled validated) near3 (path \$1 link\$1 connection\$1 rout\$4)).dlm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S857	13081	S854 S855	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S858	323	S856 and S857	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S859	246053	(network\$4 near4 (management\$1 manag \$4 monitor\$3 administrat\$6)) ((nems nms ems) same (management\$1 manag \$4 monitor\$3 administrat\$6) same (network\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18

S860	96395	((signal\$1 alert\$1 alarm\$1 message\$1) with ((active\$1 establish\$3 confirm\$3 identified provid\$3 exist\$3) near4 (path\$1 link\$1 connection\$1 route \$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S861	25805	((quer\$4 ask\$3 inquire\$4 enquire\$4 request\$4) with (route\$3 switch\$3 near5 (information\$1 configuration\$1 topolog\$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:18
S862	3624	S860 and S861	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S863	1976	S859 and S862	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S864	762069	((determin\$3 formulat\$3 map\$3 graph\$4 compos\$4 chart\$3 model\$3 layout\$1 outlin\$4) with (path\$1 link\$1 connection\$1 route\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S865	1772	S863 and S864	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S866	213784	((route\$3 switch\$3 near5 (information\$1 configuration\$1 topolog\$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))) same S864	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S867	1504	S865 and S866	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19

S868	111714	(formulat\$3 map\$3 graph\$4 compos\$4 chart\$3 model\$3 layout \$1 outlin\$4) with (path \$1 link\$1 connection\$1 route\$1) with (rout\$3 switch\$3 near5 (information\$1 configuration\$1 topolog \$4 connection\$1 link\$1 path\$1 performance\$1 parameter\$1))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S869	587	S867 and S868	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19
S870	1	"779442".ap. and medi \$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2011/01/06 07:19

1/ 6/ 2011 8:15:56 AM

C:\Documents and Settings\rpsasia\My Documents\EAST\Workspaces\10779442allow.wsp